

## INDEX.

### A.

	Page.
Academy of public health, American—Cincinnati, Ohio-----	167
Alabama :	
Birmingham—Measles -----	543
Cerebrospinal meningitis-----	909
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Jefferson County—Measles-----	853
Malaria -----	911
Measles. ( <i>See Measles—State reports.</i> )	
Pellagra -----	912
Poliomyelitis -----	914
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox -----	916
Typhoid fever -----	918
Alaska :	
Ketchikan—Measles-----	141, 177, 205, 298, 355
Southeastern section—Measles-----	355
Allied nations—Vessels—Preferential treatment at Cuban ports-----	674
American academy of public health—Cincinnati, Ohio-----	167
Anopheles quadrimaculatus—Distance of flight—Sanitary Engineer J. A. A. Le Prince and Asst. Epidemiologist T. H. D. Griffitts-----	656
Anopheline mosquitoes—Distribution and infection under field conditions—Technical Asst. M. Bruin Mitzmain-----	536
Anthrax :	
California -----	139
Connecticut—New Haven-----	7
Great Britain—	
Bradford district and vicinity-----	675
Longwood-----	553, 583
Todmorden-----	583
Kansas -----	176
Louisiana -----	1036
Massachusetts -----	297, 747, 987
Chelsea-----	908
North Adams-----	72
New Jersey -----	806, 987
Camden-----	176
New York -----	660
Ohio -----	1036
West Virginia-----	203
Anthrax in animals—Hawaii—Hanalei-----	660
Arabia—Aden—Plague -----	822, 961
Argentina :	
Leprosy -----	674
Plague—1899-1916 -----	716
Arkansas :	
Cerebrospinal meningitis-----	247, 571, 909
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Malaria -----	249, 326, 573, 911, 912, 950
Measles. ( <i>See Measles—State reports.</i> )	
Pellagra -----	250, 326, 573, 913, 951
Poliomyelitis -----	252, 327, 574
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox-----	254, 328, 576, 916, 917, 954
Typhoid fever-----	257, 330, 578, 919, 955

	Page.
Atmospheres—Indoor—Aridity in winter-----	317
Australia :	
Queensland—Quarantine stations established-----	443
Victoria, State—Cerebrospinal meningitis, 1916-----	1062
Western Australia—Quarantine station established-----	524
Azores—Quarantine against, by Cuba, on account of plague-----	19
<b>B.</b>	
Biological products :	
Establishments licensed for propagation and sale-----	903
Notice to those concerned-----	565
Births—Registration—Compensation of local registrars-----	1
Brazil :	
Bahia—Plague-----	85
Joazeiro—Plague-----	85
Pernambuco—Yellow fever-----	1062
Pernambuco, State—Plague—January—April, 1917-----	961
Victoria—Yellow fever-----	216, 394
<b>C.</b>	
California :	
Anthrax-----	139
Cerebrospinal meningitis-----	7, 139, 353, 541, 609, 806
Clovis—Typhus fever-----	185
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Los Angeles—	
Leprosy-----	354, 852, 950, 1039
Measles-----	326, 356,
383, 408, 433, 478, 512, 543, 573, 611, 663, 705, 750, 808, 854, 951, 989	
Los Banos—Typhus fever-----	996
Malaria-----	8, 140, 354, 542, 611, 808
Measles-----	543
( <i>See also Measles—State reports.</i> )	
Oakland—Leprosy-----	807
Palo Alto—Rocky Mountain spotted fever-----	810
Pellagra-----	141, 808
Plague—Squirrels infected found-----	1042
Poliomyelitis-----	10, 142, 357, 545, 613, 809
Preventable diseases. ( <i>See Current State summaries—California:</i>	
Preventable diseases—California: Special State reports—California.)	
Rocky Mountain spotted fever-----	327
Sacramento—Leprosy-----	748
San Diego—Leprosy-----	354, 382
San Francisco—Leprosy-----	8, 204, 248, 407, 542
San Francisco County—Plague—Squirrels infected found-----	913, 990
San Mateo County—Plague—Squirrels infected found-----	513, 612
Santa Cruz County—Plague—Squirrels infected found-----	951
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox-----	300, 359, 546, 615, 811
San Francisco quarantine-----	665
Vaccination history-----	12, 143, 359, 546, 615, 811
Typhoid fever-----	13, 144, 363, 548, 620, 815
Infection from polluted oysters-----	329
Cerebrospinal meningitis :	
Alabama-----	909
Arkansas-----	247, 571, 909
Australia—Victoria, State—Year 1916-----	1062
California-----	7, 139, 353, 541, 609, 806
City reports for week ended—	
December 16, 1916-----	7
December 23, 1916-----	72
December 30, 1916-----	139
January 6, 1917-----	176

## INDEX.

v

## Cerebrospinal meningitis—Continued.

	Page.
City reports for week ended—	
January 13, 1917	203
January 20, 1917	247
January 27, 1917	297
February 3, 1917	325
February 10, 1917	353
February 17, 1917	381
February 24, 1917	407
March 3, 1917	432
March 10, 1917	477
March 17, 1917	510
March 24, 1917	541
March 31, 1917	572
April 7, 1917	610
April 14, 1917	661
April 21, 1917	704
April 28, 1917	748
May 5, 1917	807
May 12, 1917	851
May 19, 1917	910
May 26, 1917	949
June 2, 1917	988
June 9, 1917	1038
Colorado	949
Connecticut	203, 353, 431, 510, 661, 909
Current prevalence	639, 687, 839
District of Columbia	176, 571, 747, 988
Hawaii	297, 407, 704
Illinois—Mound City	609
In States—Prevalence during 1916	939
Indiana	72, 381, 661, 850
Iowa	7, 203, 510, 661, 850
Kansas	72, 176, 510, 609, 850, 948, 1037
Lincoln	629
Wright County	325
Louisiana	203, 353, 477, 609, 850
Maryland	139, 571, 806, 988
Massachusetts	139, 297, 431, 571, 747, 988
Mexico—Chihuahua	1000
Mississippi	7, 353, 510, 661, 851, 1037
Montana	297, 909
New York	247, 661, 806
Ohio	247, 381, 909, 949, 1037, 1038
Akron	850
Pennsylvania	851, 1037
Recent prevalence in certain States	703
Rhode Island	909, 910, 1037
South Carolina	203, 353, 477, 609, 851, 1037
South Dakota	806, 851, 988
Texas—Galveston	660, 949
Vermont	571
Virginia	72, 247, 381, 541, 747, 900
Middlesex County	476
Washington	851, 949
West Virginia	203, 353, 431, 609, 806, 988
Wisconsin	139, 297, 431, 571, 747, 988
Wyoming	477
Ceylon:	
Cholera—Mortality, 1915 and 1916	925
Mortality, 1916	925
Plague—Mortality, 1915 and 1916	925
Smallpox—Mortality, 1915 and 1916	925
Chemical closets	1017
Chicago, Rock Island & Pacific Railway Co.—Instructions to surgeons regarding typhus fever preventive measures	345

	Page.
Chile:	
Antofagasta—Plague	216, 583
Tacna—Plague	583
China:	
Amoy—Plague	871
Precautions against access of rats to vessels	871
Canton—Cholera—Correction	216
Hing Ning—Plague among rats	553
Hongkong— Plague	
Rats examined	189, 335, 370, 416, 443, 674, 716, 761, 1062
Rats infected found	189, 335, 370, 416, 443, 716
Quarantine against, by Bangkok, Siam, on account of smallpox removed	926
Quarantine against, by Siam on account of smallpox	308
Kansu Province—Pneumonic plague	85
Shanghai—Plague—Rats examined	85, 189, 216, 335, 370, 416, 553, 822, 1063
Cholera:	
Ceylon—Mortality, 1915 and 1916	925
China—Canton—Correction	216
Chosen—Summary, August—December, 1916	416
Foreign reports—	
Cumulative table	87, 152, 192, 219, 265, 310, 338, 372, 397, 418, 445, 493, 526, 555, 586, 630, 678, 718, 764, 825, 874, 927, 962, 1002, 1064
Weekly table	20, 85, 150, 190, 217, 264, 309, 336, 370, 395, 417, 443, 490, 525, 553, 584, 628, 676, 717, 762, 823, 872, 926, 961, 1001, 1063
India—Calcutta	370
Indo-China—January, 1917	871
Japan—	
Formosa—Free from	190
Taiwan Island—Free from	190
Korea—Free from	190
Philippine Islands—Manila	541
Chosen:	
(See also Korea.)	
Cholera—Summary, August—December, 1916	416
City ordinances and regulations. (See Sanitary legislation.)	
Climate and tuberculosis—Relation of climate to recovery—Asst. Surg. Gen. John W. Trask	318
Clinical thermometers—Rack and disinfecter for—Convenient portable apparatus—Pharmacist B. E. Holsendorf	403
Closets, chemical	1017
Colorado:	
Cerebrospinal meningitis	949
Colorado Springs—Typhoid fever—Milk-borne infection	518
Denver—Rabies—Pasteur treatment	252
Diphtheria. (See Diphtheria—State reports.)	
La Junta—Typhus fever	185
Malaria	950
Measles. (See Measles—State reports.)	
Rocky Mountain spotted fever	327
Scarlet fever. (See Scarlet fever—State reports.)	
Smallpox	209, 387, 619, 709, 917
Trinidad—Typhus fever	185
Typhoid fever	955
Commission on milk standards—Third report of commission appointed by New York milk committee	271
Communicable diseases:	
(See also Sanitary legislation—Communicable diseases.)	
Cuba—Habana	19, 150, 189, 216, 308, 335, 394, 443, 490, 583, 627, 674, 716, 822, 871, 961, 1000
Notification of cases—New regulations patterned after model law—Florida	503
Conference of health authorities—April 30 and May 1, 1917	689

## INDEX.

VII

	Page.
<b>Connecticut:</b>	
Cerebrospinal meningitis-----	203, 353, 431, 510, 661, 909
Diphtheria. ( <i>See</i> Diphtheria—State reports.)	
Measles. ( <i>See</i> Measles—State reports.)	
New Haven—Anthrax-----	7
Pellagra-----	912
Pollomyelitis-----	207, 357, 514, 664, 914
Scarlet fever. ( <i>See</i> Scarlet fever—State reports.)	
Smallpox-----	11, 77, 143, 179, 208, 209, 253, 300, 328, 361, 385, 409, 435, 515, 517, 575, 614, 666, 707, 810, 915, 917, 953 210, 363, 518, 668, 918
Typhoid fever-----	
<b>Court decisions:</b>	
( <i>See also</i> Sanitary legislation—Court decisions.)	
Births—Registration—Compensation of local registrars-----	1
Deaths—Registration—Compensation of local registrars-----	1
Digest—Asst. Editor Jason Waterman-----	453
Milk—	
Dealers—Widal test-----	41
Temperature during transportation—Responsibility of railroad company -----	99
<b>Cuba:</b>	
Habana—	
Communicable diseases-----	19, 150, 189, 216, 308, 335, 394, 443, 490, 583, 627, 674, 716, 822, 871, 961, 1000
Malaria-----	263
Plague—Rats examined-----	263
Smallpox—From vessels-----	189
Preferential treatment for vessels of allied nations-----	674
Quarantine against Azores on account of plague-----	19
Quarantine against Martinique on account of yellow fever removed-----	524
Quarantine against State of Vera Cruz, Mexico, on account of yellow fever removed-----	524
<b>Current State summaries—California report for week ended:</b>	
May 26, 1917-----	907
June 2, 1917-----	907
June 9, 1917-----	948
June 16, 1917-----	987
June 23, 1917-----	1035
<b>Cyprus:</b>	
Leprosy—1910-1915-----	335
Malaria—1910-1915-----	335
Typhoid fever—1910-1915-----	335
<b>D.</b>	
<b>Deaths—Registration—Compensation of local registrars</b> -----	<b>1</b>
<b>Decisions of courts. (<i>See</i> Court decisions; Sanitary legislation—Court     decisions.)</b>	
Digest of court decisions—Asst. Editor Jason Waterman-----	453
Digitalis, wild American—Activity—Technical Asst. George B. Roth-----	377
<b>Diphtheria:</b>	
City reports for week ended—	
December 16, 1916-----	15
December 23, 1916-----	82
December 30, 1916-----	147
January 6, 1917-----	186
January 13, 1917-----	212
January 20, 1917-----	259
January 27, 1917-----	304
February 3, 1917-----	321
February 10, 1917-----	307
February 17, 1917-----	301
February 24, 1917-----	412
March 3, 1917-----	439
March 10, 1917-----	486

## Diphtheria—Continued.

	Page.
City reports for week ended—	
March 17, 1917	521
March 24, 1917	550
March 31, 1917	580
April 7, 1917	624
April 14, 1917	670
April 21, 1917	713
April 28, 1917	756
May 5, 1917	818
May 12, 1917	866
May 19, 1917	921
May 26, 1917	957
June 2, 1917	996
June 9, 1917	1058
Hawaii report for—November, 1916	304
In cities of over 100,000—Prevalence during 1916	640
In States—Prevalence during 1916	903
North Carolina—Edgecombe County	851
State reports for—	
September, 1916	82
October, 1916	82, 259
November, 1916	15, 82, 259
December, 1916	146, 186, 212, 259, 304, 331
January, 1917	304, 366, 391, 412, 579, 712, 921
February, 1917	439, 486, 520, 549, 579, 712, 921, 1058
March, 1917	579, 624, 670, 712, 756, 866, 920, 1058
April, 1917	756, 817, 866, 920, 957
May, 1917	996, 1058
Directory—State and insular health authorities—Year 1917	1020
Diseases, notifiable—In cities of over 100,000—Prevalence during 1916	595
District of Columbia :	
Cerebrospinal meningitis	176, 571, 747, 988
Diphtheria. ( <i>See</i> Diphtheria—State reports.)	
Measles. ( <i>See</i> Measles—State reports.)	
Pellagra	177, 299, 433, 990
Scarlet fever. ( <i>See</i> Scarlet fever—State reports.)	
Smallpox	753, 992
Vaccination history	753, 992
Typhoid fever	183, 302, 437, 577, 754, 994
Districts, interstate sanitary	315
Dominican Republic—Quarantine against Porto Rico on account of smallpox removed	336
Drinking fountains—Investigation of fountains at University of Minnesota—H. A. Whittaker	691

## E.

## Ecuador :

Plague	490
Yellow fever	490

## Egypt :

Alexandria—	
Plague—On vessels	19
Typhus fever—January-April, 1917	926

Keneh Province—Pneumonic plague	761
---------------------------------	-----

Plague—Summary, 1899-1915	925
---------------------------	-----

Typhus fever—Years 1911-1915	925
------------------------------	-----

Ellis Island—Mental examination of immigrants—Surg. E. H. Mullan	733
--	-----

Epidemic cerebrospinal meningitis. (*See* Cerebrospinal meningitis.)

Erysipelas—City reports for week ended:

December 16, 1916	8
-------------------	---

December 23, 1916	73
-------------------	----

December 30, 1916	140
-------------------	-----

January 6, 1917	176
-----------------	-----

January 13, 1917	204
------------------	-----

January 20, 1917	248
------------------	-----

January 27, 1917	298
------------------	-----

## INDEX.

IX

Erysipelas—City reports for week ended:	Page.
February 3, 1917	325
February 10, 1917	353
February 17, 1917	382
February 24, 1917	407
March 3, 1917	432
March 10, 1917	477
March 17, 1917	511
March 24, 1917	542
March 31, 1917	572
April 7, 1917	610
April 14, 1917	662
April 21, 1917	705
April 28, 1917	748
May 5, 1917	807
May 12, 1917	852
May 19, 1917	910
May 26, 1917	950
June 2, 1917	989
June 19, 1917	1039

## F.

Fans, mechanical—Use to increase efficiency of fumigating gases—Surg. S. B. Grubbs	609
Florida—Morbidity reports—New regulations patterned after model law	503
Fountains, drinking—Investigation of fountains at University of Minnesota—H. A. Whittaker	601
Fox, Carroll, surgeon—Public health administration:	
Piqua, Ohio	974
South Bend, Ind.	776
Freeman, A. W., epidemiologist—Typhoid fever and municipal administration	642
Fumigating gases—Use of mechanical fans to increase efficiency of—Surg. S. B. Grubbs	699

## G.

Georgia—Savannah—Measles	611, 705
Glanders (human case)—Massachusetts—Springfield	298
Glover, James W.—The new United States life tables—Their purpose and what they show	1
Great Britain:	
Bradford district and vicinity—Anthrax	675
Bristol—Plague—Rats examined	150, 217, 416
Hull—Plague—	
Rats examined	19, 217, 308
Rats infected found	584
Liverpool—Plague—	
Rats examined	150, 217, 263, 336, 761, 1063
Rats infected found	524, 761
London—Plague—	
On steamship "Sardinia"	1000
Rats examined	336
Rats infected found	336
Longwood—Anthrax	553, 583
Todmorden—Anthrax	583
Greece—Athens—Plague	627
Griffitts, T. H. D., assistant epidemiologist—Flight of mosquitoes—Dis- tance of flight of <i>Anopheles quadrimaculatus</i>	656
Grubbs, S. B., surgeon:	
Detection of hydrocyanic acid gas—Use of small animals for this pur- pose	565
Mechanical fans—Their use to increase efficiency of fumigating gases	699
Guilfoy, Wm. H., M. D.—Occupation and mortality—Their relation as indicated by mortality returns in New York City for 1914	885

## H.

	Page.
Hawaii:	
Cerebrospinal meningitis	297, 407, 704
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Hanalei—Anthrax	660
Leprosy	298
Measles. ( <i>See Measles—State reports.</i> )	
Paauhau—Plague—Rat infected found	990
Paauilo—Plague	433, 1042
Smallpox	301
Typhoid fever	302, 303, 410, 518, 710
Health—Maintenance in industries—Relation to adequate production of war materials—Surg. J. W. Schereschewsky	835
Health authorities:	
Conference—Apr. 30 and May 1, 1917	689
State and insular—Directory for 1917	1020
Holsendorf, B. E., pharmacist—Rack and disinfecter for clinical thermometers—A convenient portable apparatus	403
Hospitals—Morbidity statistics—Need for them and means for collection and publication—Edwin W. Kopf	940
Hydrocyanic acid gas—Detection—Use of small animals—Surg. S. B. Grubbs	565

## I.

Idaho:	
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Measles. ( <i>See Measles—State reports.</i> )	
Rocky Mountain spotted fever	327
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox	78
Typhoid fever	80
Illinois:	
Alexander County—Smallpox	208
Cairo—	
Measles	249, 383, 543, 573
Smallpox	515, 545, 575, 614, 707, 915
Mound City—Cerebrospinal meningitis	609
Immigrants—Mental examination—Administration and line inspection at Ellis Island—Surg. E. H. Mullan	733
Immunization against typhus fever—Report of unsuccessful attempt to immunize monkeys—Surg. G. W. McCoy and Passed Asst. Surg. M. H. Neill	841
India:	
Bombay—Plague—Protection of vessels against access of rats	627
Calcutta—Cholera	370
Madras—	
Comparative immunity from plague—Rat destruction	308
Smallpox—1901-1912 and 1915-1916	822
Indiana:	
Cerebrospinal meningitis	72, 381, 661, 850
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Indianapolis—Leprosy	8
Malaria	852
Measles. ( <i>See Measles—State reports.</i> )	
Poliomyelitis	76, 251, 384, 545, 664, 856
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox	78, 254, 387, 547, 666, 860
South Bend—Public health administration in—Surg. Carroll Fox	776
Typhoid fever	79, 255, 388, 548, 668, 863
Indo-China:	
Cholera—January, 1917	871
Plague—January, 1917	871
Smallpox—January, 1917	871
Indoor atmospheres—Aridity in winter	317
Industries—Maintenance of health in—Relation to adequate production of war materials—Surg. J. W. Schereschewsky	835
Infantile paralysis. ( <i>See Poliomyelitis.</i> )	

	Page.
Insular and State health authorities—Directory for 1917-----	1020
Interstate quarantine regulations-----	315
Interstate sanitary districts-----	315
Interstate sanitary relations—Asst. Surg. Gen. W. C. Rucker-----	198
Iowa:	
Cerebrospinal meningitis-----	7, 203, 510, 661, 850
Diphtheria. ( <i>See</i> Diphtheria—State reports.)	
Poliomyelitis-----	10, 207, 384, 514, 664, 856
Scarlet fever. ( <i>See</i> Scarlet fever—State reports.)	
Smallpox-----	12, 209, 387, 517, 666, 861
Italy—Corato—Typhus fever-----	627

**J.**

Japan:	
( <i>See also</i> Korea.)	
Formosa—Cholera—Free from-----	190
Nagoya—Plague—Subsidence-----	394
Taiwan Island—Cholera—Free from-----	190
Yokkaichi—Plague—Subsidence-----	394
Java—Cheribon—Malaria-----	19, 675
Judicial opinions. ( <i>See</i> Court decisions; Sanitary legislation—Court decisions.)	

**K.**

Kansas:	
Anthrax-----	176
Cerebrospinal meningitis-----	72, 176, 510, 609, 850, 948, 1037
Diphtheria. ( <i>See</i> Diphtheria—State reports.)	
Lincoln—Cerebrospinal meningitis-----	660
Malaria-----	73, 381, 511, 611, 852, 1039
Measles. ( <i>See</i> Measles—State reports.)	
Pellagra-----	74, 177, 383, 612, 854, 1041
Poliomyelitis-----	76, 178, 514, 613, 855, 856, 1043
Scarlet fever. ( <i>See</i> Scarlet fever—State reports.)	
Smallpox-----	385, 516, 615, 858, 1045
Vaccination history-----	77, 179, 385, 516, 615, 858, 1045
Typhoid fever-----	79, 183, 388, 518, 620, 863, 1053
Wright County—Cerebrospinal meningitis-----	325
Kentucky—Louisville—Measles-----	249, 408
Kopf, Edwin W.—Morbidity statistics of hospitals—Need for them and means for collection and publication-----	940
Korea:	
( <i>See also</i> Chosen.)	
Cholera—Free from-----	190

**L.**

Laundries and the public health—A sanitary study including bacteriologic tests—M. C. Schroeder and S. G. Southerland-----	225
Laws. ( <i>See</i> Sanitary legislation.)	
Legislation. ( <i>See</i> Sanitary legislation.)	
Le Prince, J. A. A., sanitary engineer—Flight of mosquitoes—Distance of flight of Anopheles quadrimaculatus-----	656
Leprosy:	
Argentina-----	674
California—	
Los Angeles-----	354, 950, 1039
Los Angeles County-----	852
Oakland-----	807
Sacramento-----	748
San Diego-----	354
San Francisco-----	8, 204, 248, 407, 542
Cyprus—1910—1915-----	335
Hawaii-----	298
Indiana—Indianapolis-----	8

	Page.
Leprosy—Continued.	
Louisiana—	
New Orleans	204, 354, 382, 432, 950
New Orleans Parish	432
Massachusetts—Springfield	749, 852
New Jersey—	
Jersey City	354, 432
Newark	140
New York—New York City	326, 511, 950
Oregon—Klamath Falls	1039
Pennsylvania—Williamsport	140
Wisconsin—Milwaukee	354
Life tables—United States—Their purpose and what they show—James W. Glover	1
Longevity—What people live longest	501
Louisiana :	
Anthrax	1036
Cerebrospinal meningitis	203, 353, 477, 609, 850
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Malaria	204, 354, 611, 852
Measles. ( <i>See Measles—State reports.</i> )	
New Orleans—	
Leprosy	204, 354, 382, 432, 950
Plague—Rats infected found	10, 357, 664
New Orleans Parish—Leprosy	432
Pellagra	206, 356, 478, 612, 854
Poliomyelitis	207, 479, 613, 856, 1043
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox	209, 361, 483, 619, 861, 1052
Typhoid fever	210, 363, 484, 621, 863, 1053
Westwego—Plague—Rats infected found	357
<b>M.</b>	
McCoy, G. W., surgeon—Immunization against typhus fever—Report of unsuccessful attempt to immunize monkeys	841
Maine :	
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Measles. ( <i>See Measles—State reports.</i> )	
Poliomyelitis	856, 1043
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox	861, 1052
Typhoid fever	863, 1053
Malaria :	
Alabama	911
Anopheles quadrimaculatus—Distance of flight—Sanitary Engineer J. A. A. Le Prince and Asst. Epidemiologist T. H. D. Griffitts	656
Anopheline mosquitoes—Distribution and infection under field conditions—Technical Asst. M. Bruin Mitzmain	536
Arkansas	249, 326, 573, 911, 912, 950
California	8, 140, 354, 542, 611, 808
City reports for week ended—	
December 16, 1916	9
December 23, 1916	73
December 30, 1916	140
January 6, 1917	205
January 13, 1917	205
January 20, 1917	249
February 3, 1917	326
February 10, 1917	355
February 24, 1917	407
March 3, 1917	433
March 10, 1917	478
March 17, 1917	512
March 24, 1917	543
March 31, 1917	573

<b>Malaria—Continued.</b>		
<b>City reports for week ended—</b>		<b>Page.</b>
April 7, 1917		573
April 14, 1917		663
April 21, 1917		705
April 28, 1917		750
May 5, 1917		808
May 12, 1917		853
May 19, 1917		912
May 26, 1917		951
June 2, 1917		889
June 9, 1917		1040
Colorado		950
Cuba—Habana		263
Cyprus—1910-1915		335
Indiana		852
Java—Cheribon		19, 675
Kansas	73, 382, 511, 611, 852, 1039	
Louisiana	204, 354, 478, 611, 852	
Maryland	140, 354, 433, 808, 989	
Massachusetts	140, 433, 572, 749, 989	
Minnesota	1039	
Mississippi	8, 204, 354, 511, 662, 853, 1039	
New Jersey	177, 478, 611, 808, 1040	
Ohio	248, 950, 1040	
South Carolina	205, 355, 478, 611, 853, 1040	
Virginia	73, 248, 382, 542, 749, 911	
<b>Martinique—Quarantine against, by Cuba on account of yellow fever removed</b>		524
<b>Maryland:</b>		
Cerebrospinal meningitis	139, 571, 806, 988	
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	140, 354, 433, 808, 989	
Malaria	140, 354, 433, 808, 989	
Measles. ( <i>See Measles—State reports.</i> )		
Pellagra	573	
Poliomyelitis	142, 357, 434, 574, 809, 991	
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )		
Smallpox	436, 575, 811, 992	
Vaccination history	436, 575, 811, 992	
Typhoid fever	144, 363, 437, 577, 815, 994	
<b>Massachusetts:</b>		
Anthrax	297, 747, 987	
Cerebrospinal meningitis	139, 297, 431, 571, 747, 988	
Chelsea—Anthrax	908	
Diphtheria. ( <i>See Diphtheria—State reports.</i> )		
Fitchburg—Smallpox	857	
Gardner—Typhoid fever	709	
Malaria	140, 433, 572, 749, 989	
Measles. ( <i>See Measles—State reports.</i> )		
North Adams—Anthrax	72	
Pellagra	141, 573, 750, 990	
Poliomyelitis	142, 299, 434, 574, 751, 991	
Preventable diseases. ( <i>See Preventable diseases—Massachusetts;</i>		
Special State reports—Massachusetts.)		
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )		
Smallpox	301, 436, 575, 753, 992	
Vaccination history	143, 436, 575, 753, 992	
Springfield—		
Glanders (human case)	298	
Leprosy	852, 749	
Typhoid fever	145, 302, 437, 577, 754, 994	
Worcester—		
Smallpox	409, 480, 545, 665, 729, 857, 939	
Virulent smallpox	752	
<b>Mauritius—Plague</b>		584

<b>Measles:</b>		<b>Page.</b>
Alabama—		543
Birmingham	-----	543
Jefferson County	-----	853
Alaska—		
Ketchikan	-----	141, 177, 205, 298, 355
Southeastern section	-----	355
California		
Los Angeles	-----	543
326, 356,		
383, 408, 433, 478, 512, 543, 573, 611, 663, 705, 750, 808, 854, 951, 989		
City reports for week ended—		
December 16, 1916	-----	15
December 23, 1916	-----	82
December 30, 1916	-----	147
January 6, 1917	-----	186
January 13, 1917	-----	212
January 20, 1917	-----	259
January 27, 1917	-----	304
February 3, 1917	-----	331
February 10, 1917	-----	367
February 17, 1917	-----	391
February 24, 1917	-----	412
March 3, 1917	-----	439
March 10, 1917	-----	486
March 17, 1917	-----	517
March 24, 1917	-----	550
March 31, 1917	-----	580
April 7, 1917	-----	624
April 14, 1917	-----	670
April 21, 1917	-----	713
April 28, 1917	-----	756
May 5, 1917	-----	818
May 12, 1917	-----	866
May 19, 1917	-----	921
May 26, 1917	-----	957
June 2, 1917	-----	996
June 9, 1917	-----	1058
Georgia—Savannah	-----	611, 705
Hawaii report for November, 1916	-----	304
Illinois—Cairo	-----	249, 383, 543, 573
Kentucky—Louisville	-----	249, 408
North Carolina—Edgecombe County	-----	854
State reports for—		
September, 1916	-----	82
October, 1916	-----	82, 259
November, 1916	-----	15, 82, 259
December, 1916	-----	146, 186, 212, 259, 304, 331
January, 1917	-----	304, 366, 391, 412, 579, 712, 921
February, 1917	-----	439, 486, 520, 549, 579, 712, 921, 1058
March, 1917	-----	579, 624, 670, 712, 756, 866, 920, 1058
April, 1917	-----	756, 817, 866, 920, 957
May, 1917	-----	906, 1058
Texas—Hill County	-----	383
Washington—Seattle	-----	250,
	298, 356, 383, 408, 433, 478, 544, 612, 663, 705, 750, 808, 854	
Mechanical fans—Use to increase efficiency of fumigating gases—Surg.		
S. B. Grubbs	-----	699
Mental examination of immigrants—Administration and line inspection at Ellis Island—Surg. E. H. Mullan	-----	733
Mexico :		
Aguascalientes—Typhus fever decreasing	-----	553
Chihuahua—Cerebrospinal meningitis	-----	1000
Durango—Typhus fever	-----	394
Typhus fever—Preventive measures on the Mexican border—Senior		
Surg. C. C. Pierce	-----	426
Vera Cruz—Quarantine against, by Cuba on account of yellow fever removed	-----	524

## Michigan:

Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Measles. ( <i>See Measles—State reports.</i> )	
Poliomyelitis	178, 358, 479, 613, 809, 1043
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox	359, 481, 616, 811, 1046
Vaccination history	180, 359, 481, 616, 811, 1046
Typhoid fever	183, 364, 484, 621, 815, 1053

## Milk:

Dealers—Widal test	41
Temperature during transportation—Responsibility of railroad company	99
Milk standards—Third report of commission appointed by New York milk committee	271

## Minnesota:

Cerebrospinal meningitis	176, 353, 431, 571, 850, 908, 1037
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Duluth—Virulent smallpox	973, 992
Malaria	1039
Measles. ( <i>See Measles—State reports.</i> )	
Pellagra	1041
Poliomyelitis	178, 358, 479, 613, 856, 1043
Reciprocal notification	175, 352, 476, 608, 849, 1036
St. Paul—Public health administration in—Surg. G. B. Young	41, 99
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox	11, 77, 143,
179, 208, 253, 300, 328, 359, 360, 385, 409, 435, 480, 482, 515, 545,	
575, 614, 617, 665, 707, 752, 810, 857, 859, 915, 953, 992, 1045, 1048	
Vaccination history	181, 360, 482, 617, 859, 1048
Typhoid fever	184, 364, 484, 622, 863, 1054

## Mississippi:

Cerebrospinal meningitis	7, 353, 510, 661, 851, 1037
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Malaria	8, 204, 354, 511, 662, 853, 1039
Measles. ( <i>See Measles—State reports.</i> )	
Pellagra	9, 206, 356, 513, 663, 854, 1041
Poliomyelitis	10, 207, 358, 514, 664, 1043
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox	12, 209, 362, 517, 666, 861, 1052
Typhoid fever	13, 210, 364, 519, 668, 864, 1054

Missouri—St. Louis—Typhoid fever—Milk-borne epidemic	813
Mitzmain, M. Bruin, technical assistant—Anopheline mosquitoes—Their distribution and infection under field conditions	536

## Montana:

Cerebrospinal meningitis	297, 909
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Measles. ( <i>See Measles—State reports.</i> )	
Poliomyelitis	300, 914, 1043
Rocky Mountain spotted fever	327, 1044
Notified during May, 1917	1013
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox	301, 708, 916, 1049
Vaccination history	708, 916, 1049
Typhoid fever	302, 710, 918, 919, 1055

## Morbidity reports:

( <i>See also Sanitary legislation—Morbidity reports.</i> )	
Communicable diseases—New regulations patterned after model law—Florida	503

Morbidity statistics of hospitals—Need for them and means for collection and publication—Edwin W. Kopf	940
--	-----

Morbidity tables, standard—Significance to public-health administration	773
---	-----

## Mortality:

Ceylon—1916	925
Venezuela—April, 1916	263

Mortality and occupation—Relation as indicated by mortality returns in New York City for 1914—Dr. Shirley W. Wynne and Dr. Wm. H. Guilfoy	885
---	-----

	Page.
Mosquitoes— <i>Anopheles quadrimaculatus</i> —Distance of flight—Sanitary Engineer J. A. A. Le Prince and Asst. Epidemiologist T. H. D. Griffitts.	656
Mosquitoes, anopheline—Distribution and infection under field conditions—Technical Asst. M. Bruin Mitzmain.	536
Mullan, E. H., surgeon—Mental examination of immigrants—Administration and line inspection at Ellis Island.	733
Municipal administration and typhoid fever—Epidemiologist A. W. Freeman	642
<b>N.</b>	
Neill, M. H., passed assistant surgeon—Immunization against typhus fever—Report of unsuccessful attempt to immunize monkeys.	841
Nevada:	
Diphtheria. ( <i>See</i> Diphtheria—State reports.)	
Humboldt County—Rocky Mountain spotted fever	992
Measles. ( <i>See</i> Measles—State reports.)	
Paradise—Rocky Mountain spotted fever	810
Rocky Mountain spotted fever	827
Scarlet fever. ( <i>See</i> Scarlet fever—State reports.)	
Typhoid fever	918
New Hampshire:	
Diphtheria. ( <i>See</i> Diphtheria—State reports.)	
Measles. ( <i>See</i> Measles—State reports.)	
Poliomyelitis	991
Scarlet fever. ( <i>See</i> Scarlet fever—State reports.)	
Smallpox	993
Typhoid fever	995
New Jersey:	
Anthrax	806, 987
Burlington County—Smallpox—Correction	1045
Camden—Anthrax	176
Diphtheria. ( <i>See</i> Diphtheria—State reports.)	
Jersey City—Leprosy	354, 432
Malaria	177, 611, 808, 1040
Newark—Leprosy	140
Poliomyelitis	178, 358, 479, 613, 809, 1043
Scarlet fever. ( <i>See</i> Scarlet fever—State reports.)	
Smallpox	182, 362, 619, 1052
Typhoid fever	184, 365, 484, 622, 816, 1055
New York:	
Anthrax	660
Cerebrospinal meningitis	247, 661, 806
Diphtheria. ( <i>See</i> Diphtheria—State reports.)	
Measles. ( <i>See</i> Measles—State reports.)	
New York City—	
Leprosy	326, 950
Typhus fever	15, 185, 669, 817
Poliomyelitis	251, 664, 809
Scarlet fever. ( <i>See</i> Scarlet fever—State reports.)	
Smallpox	606, 812
Vaccination history	812
Typhoid fever	255, 668, 816
Utica—Typhoid fever	329
New Zealand—Wellington health district—Poliomyelitis—Prevalence during 1914-1916	564
North Carolina—Edgecombe County:	
Measles	851, 854
Smallpox	857, 915
North Dakota:	
Diphtheria. ( <i>See</i> Diphtheria—State reports.)	
Measles. ( <i>See</i> Measles—State reports.)	
Poliomyelitis	251
Scarlet fever. ( <i>See</i> Scarlet fever—State reports.)	
Smallpox	12, 254, 387, 517, 666, 861
Typhoid fever	14, 256, 389, 519, 668, 864
Notifiable diseases—In cities of over 100,000—Prevalence during 1916	595

## INDEX.

XVII

## O.

	Page.
Occupation and mortality—Relation as indicated by mortality returns In New York City for 1914—Dr. Shirley W. Wynne and Dr. Wm. H. Guilfoy	885
Ohio:	
Akron—Cerebrospinal meningitis	850
Anthrax	1036
Cerebrospinal meningitis	247, 381, 909, 949, 1037, 1038
Cleveland—Smallpox	665
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Malaria	248, 950, 1040
Measles. ( <i>See Measles—State reports.</i> )	
Pellagra	951
Piqua—Public health administration in—Surg. Carroll Fox	974
Poliomyleitis	251, 384, 952, 1043, 1044
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox	253, 254, 386, 953, 1049, 1050
Vaccination history	253, 386, 953, 1049, 1050, 1051
Springfield—Smallpox	435, 546
Toledo—Smallpox—Correction	546
Typhoid fever	256, 389, 956, 1055, 1056
Oklahoma:	
Kusa—Smallpox	707
Okmulgee—Rabies in animals	752, 901
Okmulgee County Jail—Smallpox	435, 546
Ordinances. ( <i>See Sanitary legislation.</i> )	
Oregon:	
Astoria—Smallpox	575, 614, 810, 953
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Klamath Falls—Leprosy	1039
Measles. ( <i>See Measles—State reports.</i> )	
Poliomyleitis	76, 251
Rocky Mountain spotted fever	327
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox	254, 410, 576, 709
Typhoid fever	80, 256, 257, 410, 578, 710

## P.

Paragonimiasis—Peru—Made notifiable	395
Pellagra:	
Alabama	912
Arkansas	250, 326, 573, 913, 951
California	141, 808
City reports for week ended—	
December 16, 1916	10
December 23, 1916	74
December 30, 1916	141
January 6, 1917	177
January 13, 1917	206
January 20, 1917	250
January 27, 1917	299
February 3, 1917	326
February 10, 1917	357
February 17, 1917	383
February 24, 1917	408
March 3, 1917	433
March 10, 1917	478
March 17, 1917	513
March 24, 1917	544
March 31, 1917	574
April 7, 1917	612
April 14, 1917	664
April 21, 1917	705
April 28, 1917	751

Pellagra—Continued.		
City reports for week ended—		Page.
May 5, 1917		808
May 12, 1917		855
May 19, 1917		813
May 26, 1917		951
June 2, 1917		990
June 9, 1917		1041
Connecticut		912
District of Columbia	177, 299, 433, 990	
Kansas	74, 177, 383, 612, 854, 1041	
Louisiana	206, 356, 478, 612, 854	
Maryland	573	
Massachusetts	141, 573, 750, 990	
Minnesota	1041	
Mississippi	9, 206, 356, 513, 663, 854, 1041	
Ohio	951	
South Carolina	206, 356, 478, 612, 855, 1041	
Virginia	74, 250, 383, 544, 750, 912	
West Virginia	206, 356, 990	
Pennsylvania:		
Cerebrospinal meningitis	851, 1037	
Diphtheria. ( <i>See Diphtheria—State reports.</i> )		
Measles. ( <i>See Measles—State reports.</i> )		
Philadelphia—Smallpox	857	
Poliomyelitis	856, 1043	
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )		
Smallpox	861, 1052	
Typhoid fever	864, 1055	
Williamsport—Leprosy	140	
Peru:		
Paragonimiasis—Made notifiable	395	
Plague—		
January 1–February 15, 1917	628	
February 16–May 15, 1917	1000	
Year 1916	675	
Phelps, Earle B., professor—Streams—Control of pollution—International Joint Commission and pollution of boundary waters	167	
Philippine Islands—Manila—Cholera	541	
Pierce, C. C., senior surgeon—Combating typhus fever on the Mexican border	426	
Plague:		
Arabia—Aden	822, 961	
Argentina—1899–1916	716	
Brazil—		
Bahia	85	
Joazeiro	85	
Pernambuco State—January–April, 1917	961	
California—		
San Francisco County—Squirrels infected found	913, 990	
San Mateo County—Squirrels infected found	513, 612	
Santa Cruz County—Squirrels infected found	951	
Squirrels infected found	1042	
Ceylon—Mortality, 1915 and 1916	925	
Chile—		
Antofagasta	216, 583	
Taena	583	
China—		
Amoy	871	
Precautions against access of rats to vessels	871	
Hing Ning—Rats infected found	553	
Hongkong—		
Rats examined	189, 335, 370, 416, 443, 674, 716, 761, 1062	
Rats infected found	189, 335, 370, 416, 443, 716	
Shanghai—Rats examined	85, 189, 216, 335, 370, 416, 553, 822, 1063	
Cuba—Habana—Rats examined	263	
Ecuador	490	

## Plague—Continued.

	Page.
Egypt—	
Alexandria—On vessel	19
Summary, 1899-1915	925
Foreign reports—	
Cumulative table	88, 153, 193, 220, 266, 311, 339, 373, 398, 419, 446, 494, 528, 557, 588, 632, 680, 720, 765, 827, 876, 929, 964, 1004, 1066
Weekly table	20, 86, 151, 191, 218, 264, 309, 337, 371, 395, 417, 444, 491, 525, 554, 585, 628, 676, 717, 762, 823, 872, 926, 962, 1001, 1063
Great Britain—	
Bristol—Rats examined	150, 217, 416
Hull—	
Rats examined	19, 217, 308
Rats infected found	584
Liverpool—	
Rats examined	150, 217, 263, 336, 761, 1063
Rats infected found	524, 761
London—	
On steamship "Sardinia"	1000
Rats examined	336
Rats infected found	336
Greece—Athens	627
Hawaii—	
Paauhau—Rat infected found	990
Paauilo	433, 1042
India—	
Bombay—Protection of vessels against access of rats	627
Madras—Comparative immunity from—Rat destruction	308
Indo-China—January, 1917	871
Japan—	
Nagoya—Subsidence	394
Yokkaichi—Subsidence	394
Louisiana—	
New Orleans—Rats infected found	10, 357, 664
Westwego—Rats infected found	357
Mauritius	584
Peru—	
January 1-February 15, 1917	628
February 16-May 15, 1917	1000
Year 1916	675
Quarantine by Cuba against Azores on account of	19
Union of South Africa—	
Koms—New focus of infection	217
Orange Free State	524, 716, 823
New focus of infection	1001
Transvaal	416
Uruguay—Montevideo—1901-1915	761
Venezuela—Rat destruction—November, 1916	264
Washington—Seattle—Rats infected found	479
Plague, pneumonic:	
China—Kansu Province	85
Egypt—Keneh Province	761
Pneumonia—City reports for week ended:	
December 16, 1916	10
December 23, 1916	74
December 30, 1916	141
January 6, 1917	177
January 13, 1917	206
January 20, 1917	251
January 27, 1917	299
February 3, 1917	327
February 10, 1917	357
February 17, 1917	384
February 24, 1917	408
March 3, 1917	434
March 10, 1917	479
March 17, 1917	514

	Page.
Pneumonia—City reports for week ended:	
March 24, 1917	544
March 31, 1917	574
April 7, 1917	613
April 14, 1917	664
April 21, 1917	706
April 28, 1917	751
May 5, 1917	809
May 12, 1917	855
May 19, 1917	913
May 26, 1917	952
June 2, 1917	990
June 9, 1917	1042
Pollomyelitis:	
Alabama	914
Arkansas	252, 327, 574
California	10, 142, 357, 545, 613, 809
City reports for week ended—	
December 16, 1916	11
December 23, 1916	76
December 30, 1916	142
January 6, 1917	178
January 13, 1917	208
January 20, 1917	252
January 27, 1917	300
February 3, 1917	327
February 10, 1917	358
February 17, 1917	384
February 24, 1917	409
March 3, 1917	434
March 10, 1917	480
March 17, 1917	514
March 24, 1917	545
March 31, 1917	574
April 7, 1917	613
April 14, 1917	665
April 21, 1917	706
April 28, 1917	752
May 5, 1917	809
May 12, 1917	856
May 19, 1917	915
May 26, 1917	952
June 2, 1917	991
June 9, 1917	1044
Connecticut	207, 357, 514, 664, 914
Control—Minimum requirements—Recommended by conference of State and provincial boards of health of North America	730
In cities—Prevalence during 1916	563
In States—Prevalence during 1916	840
Indiana	76, 251, 384, 545, 664, 856
Iowa	10, 207, 384, 514, 664, 856
Kansas	76, 178, 514, 613, 856, 1043
Louisiana	207, 479, 613, 856, 1043
Maine	856, 1043
Maryland	142, 357, 434, 574, 809, 991
Massachusetts	142, 299, 434, 574, 751, 991
Michigan	178, 358, 479, 613, 809, 1043
Minnesota	178, 358, 479, 613, 856, 1042
Mississippi	10, 207, 358, 514, 664, 1043
Montana	300, 914, 1043
New Hampshire	991
New Jersey	178, 358, 479, 613, 809, 1043
New York	251, 664, 809
New Zealand—Wellington health district—Prevalence during 1914— 1916	564
North Dakota	251
Ohio	251, 384, 952, 1043, 1044

	Page.
<b>Pollomyeltis—Continued.</b>	
Oregon	76, 251
Pennsylvania	856, 1043
Rhode Island	914, 1043
South Carolina	479, 613, 856, 1043
South Dakota	991
United States—Prevalence and geographic distribution during 1916	1013
Uruguay—Measures against importation	717
Vermont	207, 358, 574, 1043
Waterbury	479
Virginia	76, 251, 384, 545, 751, 914
Washington	251, 384
West Virginia	207, 358, 434, 613, 809, 991
Elkins and Grafton—Winter epidemic	74
Winter outbreak	141, 178, 207
Wisconsin	142, 299, 434, 574, 751, 991
Wyoming	10
Porto Rico—Quarantine against, by Dominican Republic on account of smallpox removed	336
Preble, Paul, passed assistant surgeon—Public health administration—With special reference to towns and rural communities	346
Preventable diseases:	
California report for week ended—	
April 21, 1917	711
April 28, 1917	700
May 5, 1917	821
May 12, 1917	869
Massachusetts report for week ended—	
December 23, 1916	15
December 30, 1916	81
January 6, 1917	146
January 13, 1917	185
January 20, 1917	212
January 27, 1917	258
February 3, 1917	304
February 10, 1917	366
February 17, 1917	411
February 24, 1917	412
March 3, 1917	439
March 10, 1917	486
March 17, 1917	520
March 24, 1917	549
March 31, 1917	579
April 7, 1917	623
April 14, 1917	669
April 21, 1917	712
April 28, 1917	760
May 5, 1917	821
Program of public health—For cities—Asst. Surg. Gen. W. C. Rucker	506
Public health administration:	
Piqua, Ohio—Surg. Carroll Fox	974
St. Paul, Minn.—Surg. G. B. Young	41, 99
South Bend, Ind.—Surg. Carroll Fox	776
With special reference to towns and rural communities—Passed Asst. Surg. Paul Preble	346
Public health laws, ordinances, and regulations. ( <i>See</i> Sanitary legislation.)	
Public health program—For cities—Asst. Surg. Gen. W. C. Rucker	506
Public Health Service—In time of war—Executive order	773
<b>Q.</b>	
Quarantine regulations, interstate	315
Quarantine requirements—Ports of United States south of Maryland	425
Quarantine stations:	
Established at Queensland, Australia	443
Established at Western Australia, Australia	524

## R.

Rabies:		
City reports for week ended--		Page.
January 13, 1917		208
March 10, 1917		480
March 17, 1917		514
March 31, 1917		575
June 2, 1917		991
Colorado—Denver—Pasteur treatment		252
Virginia		252
Rabies (in animals):		
City reports for week ended--		
December 16, 1916		11
December 23, 1916		76
December 30, 1916		142
January 6, 1917		178
January 13, 1917		208
January 20, 1917		252
January 27, 1917		300
February 3, 1917		327
February 10, 1917		358
February 17, 1917		385
February 24, 1917		409
March 10, 1917		480
March 17, 1917		515
March 24, 1917		545
March 31, 1917		575
April 7, 1917		614
April 14, 1917		665
April 21, 1917		706
April 28, 1917		752
May 5, 1917		809
May 12, 1917		856
May 19, 1917		915
May 26, 1917		952
June 2, 1917		991
June 9, 1917		1044
Oklahoma—Okmulgee		752, 991
South Carolina—Spartanburg		706
West Virginia		208
Reciprocal notification—Minnesota		175, 352, 476, 608, 849, 1036
Regulations. ( <i>See</i> Sanitary legislation.)		
Regulations, interstate quarantine		315
Relations, interstate sanitary—Asst. Surg. Gen. W. C. Rucker		198
Rhode Island:		
Cerebrospinal meningitis		909, 910, 1037
Diphtheria. ( <i>See</i> Diphtheria—State reports.)		
Measles. ( <i>See</i> Measles—State reports.)		
Poliomyelitis		914, 1043
Scarlet fever. ( <i>See</i> Scarlet fever—State reports.)		
Typhoid fever		918, 919, 1056
Rocky Mountain spotted fever:		
California		327
Palo Alto		810
Colorado		327
Idaho		327
Montana		327, 1044
Notified during May, 1917		1013
Nevada		327
Humboldt County		902
Paradise		810
Oregon		327
Utah		327
Washington		327
Odessa		706, 752
Wyoming		327
Washakie County		856

## INDEX.

XXIII

	Page.
Roth, George B., technical assistant—Activity of wild American digitalis.	377
Rucker, W. C., assistant surgeon general:	
A program of public health for cities	506
Interstate sanitary relations	198
Russia—Poland—Typhus fever	584
<b>S.</b>	
Sanitary districts, Interstate	315
Sanitary legislation:	
Appropriations—	
Infant welfare work—Philippine Islands	97
Milk dispensaries—Establishment—Philippine Islands	97
Public health work—Philippine Islands	97
Arkansas—Births and deaths—Registration—Payment of local registrars by counties unconstitutional—Forth Smith district of Sebastian County <i>v. Eberle</i>	22
Bacteria, pathogenic—Distribution of cultures—New York	96
Births—Registration—Payment of local registrars by counties unconstitutional—Arkansas—Forth Smith district of Sebastian County <i>v. Eberle</i>	22
Boards of health. ( <i>See</i> Sanitary legislation—Health authorities.)	
Bread boxes—Raising from floor or ground—Maryland	166
Bruggeman <i>v. City of York</i> —Pneumonia—Cause—Proof not sufficient—Pennsylvania	23
Chicago, City of, <i>v. Chicago &amp; N. W. Ry. Co.</i> —Milk—Temperature during transportation—Responsibility of railroad company—Illinois	155
Chicory—Mixed with coffee—Sale—Maryland	166
City of York, Bruggeman <i>v.</i> —Pneumonia—Cause—Proof not sufficient—Pennsylvania	23
Code, sanitary—Violation—Penalty—New York	96
Coffee—Chicory mixed with—Sale—Maryland	166
Cold storage—Regulation—Maryland	163, 165
Communicable diseases—	
Cultures of pathogenic bacteria—Distribution—New York	96
Notification of cases—	
Maryland—	
By physicians	160
In hotels, hospitals, institutions, etc.	160
Recording of reports, etc.	160
New York—By physicians	96
Prevention—Maryland	160
Court decisions—	
Births and deaths—Registration—Payment of local registrars by counties unconstitutional—Arkansas—Forth Smith district of Sebastian County <i>v. Eberle</i>	22
Milk—	
Protection against typhoid—Submission of dealers to Widal test—New York—People ex rel. Schultz <i>v. Hamilton et al.</i>	90
Temperature during transportation—Responsibility of railroad company—Illinois—Chicago <i>v. Chicago &amp; N. W. Ry. Co.</i>	155
Pneumonia—Cause—Proof not sufficient—Pennsylvania—Bruggeman <i>v. City of York</i>	23
Deaths—Registration—Payment of local registrars by counties unconstitutional—Arkansas—Forth Smith district of Sebastian County <i>v. Eberle</i>	22
Drugs—Habit-forming—Opium—Importation—Federal statute valid—U. S. C. C. A.—Shepard <i>v. United States</i>	94
Eberle, Fort Smith district of Sebastian County <i>v.</i> —Births and deaths—Registration—Payment of local registrars by counties unconstitutional—Arkansas	22
Foodstuffs. ( <i>See</i> Sanitary legislation—Bread; Cold storage; Meat; Milk.)	

	Page.
Sanitary legislation—Continued.	
Fort Smith district of Sebastian County <i>v.</i> Eberle—Births and deaths—Registration—Payment of local registrars by counties unconstitutional—Arkansas	22
Habit-forming drugs. ( <i>See</i> Sanitary legislation—Opium.)	
Hamilton, Commissioner of Public Safety et al, People ex rel Schultz <i>v.</i> —Milk—Protection against typhoid—Submission of dealers to Widal test—New York	90
Health authorities—	
County—Boards of health—	
Meetings, powers, and duties—Maryland	162
Montgomery County—Maryland	162
Health officers—Appointment—Maryland	162
Local—Health officers—Qualifications—Time of taking effect extended—New York	96
State—Boards of health—	
Making and enforcement of local regulations—Maryland	160
Transfer of powers and duties—State vaccine agency—Maryland	162
Health officers. ( <i>See</i> Sanitary legislation—Health authorities.)	
Health regulations—Local—Making and enforcement—Maryland	160
Health work, public—Appropriation—Philippine Islands	97
Hospitals—Communicable diseases—Notification of cases—Maryland	160
Hotels—Communicable diseases—Notification of cases—Maryland	160
Illinois—Milk—Temperature during transportation—Responsibility of railroad company—Chicago <i>v.</i> Chicago & N. W. Ry. Co	155
Infant welfare work—Appropriation—Philippine Islands	97
Institutions—Communicable diseases—Notification of cases—Maryland	160
Montgomery County—Health authorities	162
Meat—Live animals—	
Inspection—Maryland	163
Unwholesome—Condemnation—Maryland	163
Milk—	
Dispensaries—Establishment—Appropriation—Philippine Islands	97
Protection against typhoid—Submission of dealers to Widal test—New York—People ex rel. Schultz <i>v.</i> Hamilton et al	90
Temperature during transportation—Responsibility of railroad company—Illinois—Chicago <i>v.</i> Chicago & N. W. Ry. Co	155
Milk and milk products—Production, care, and sale—San Francisco, Cal	25
Morbidity reports—Communicable diseases—	
Maryland—	
By physicians	160
In hotels, hospitals, institutions, etc	160
Recording of reports, etc	160
New York—By physicians	96
New York:	96
Milk—Protection against typhoid—Submission of dealers to Widal test—People ex rel. Schultz <i>v.</i> Hamilton et al	90
Opium—Importation—Federal statute valid—U. S. C. C. A.—Shepard <i>v.</i> United States	94
Pathogenic bacteria—Distribution of cultures—New York	96
Pennsylvania—Pneumonia—Cause—Proof not sufficient—Bruggeman <i>v.</i> City of York	23
People ex rel. Schultz <i>v.</i> Hamilton et al—Milk—Protection against typhoid—Submission of dealers to Widal test—New York	90
Philippine Islands	97
Pneumonia—Cause—Proof not sufficient—Pennsylvania—Bruggeman <i>v.</i> City of York	23
Public health work—Appropriation—Philippine Islands	97
Regulations, health. ( <i>See</i> Sanitary legislation—Health regulations).	
San Francisco, Cal	25
Sanitary code—Violation—Penalty—New York	96
Shepard <i>v.</i> United States—Opium—Importation—Federal statute valid—U. S. C. C. A	94

## INDEX.

xxv

	Page.
Sanitary legislation—Continued.	
United States—Circuit Court of Appeals—Opium—Importation—Federal statute valid—Shepard <i>v.</i> United States	94
United States, Shepard <i>v.</i> —Opium—Importation—Federal statute valid—U. S. C. C. A.	94
Vaccine agency—State—Powers and duties—Transfer to State board of health—Maryland	162
York, City of, Bruggeman <i>v.</i> —Pneumonia—Cause—Proof not sufficient—Pennsylvania	23
Sanitary relations, interstate—Asst. Surg. Gen. W. C. Rucker	198
Scarlet fever	435
City reports for week ended—	
December 16, 1916	15
December 23, 1916	82
December 30, 1916	147
January 6, 1917	186
January 13, 1917	212
January 20, 1917	259
January 27, 1917	304
February 3, 1917	331
February 10, 1917	367
February 17, 1917	391
February 24, 1917	412
March 3, 1917	439
March 10, 1917	486
March 17, 1917	521
March 24, 1917	550
March 31, 1917	580
April 7, 1917	624
April 14, 1917	670
April 21, 1917	713
April 28, 1917	756
May 5, 1917	818
May 12, 1917	866
May 19, 1917	921
May 26, 1917	957
June 2, 1917	996
June 9, 1917	1058
In cities of over 100,000—Prevalence during 1916	729
In States—Prevalence during 1916	973
State reports for—	
September, 1916	82
October, 1916	82, 259
November, 1916	15, 82, 259
December, 1916	146, 186, 212, 259, 304, 331
January, 1917	304, 366, 391, 412, 579, 712, 921
February, 1917	439, 486, 520, 549, 579, 712, 921, 1058
March, 1917	579, 624, 670, 712, 756, 866, 920, 1058
April, 1917	756, 817, 866, 920, 957
May, 1917	996, 1058
Unusually prevalent	101
Wyoming—Cheyenne	856
Schereschewsky, J. W., surgeon—Maintenance of health in industries—Its relation to the adequate production of war materials	835
Schroeder, M. C.—Laundries and the public health—A sanitary study, including bacteriologic tests	225
Serums. (See Biological products.)	
Siam:	
Bangkok—Quarantine against Hongkong, China, on account of smallpox removed	926
Quarantine against Hongkong on account of smallpox	308
Smallpox:	
Alabama	916
Arkansas	254, 328, 576, 916, 917, 954
California	300, 359, 546, 615, 811
San Francisco quarantine	665
Ceylon—Mortality, 1915 and 1916	925

	Page.
Smallpox—Continued.	
City reports for week ended—	
December 16, 1916	12
December 23, 1916	78
December 30, 1916	144
January 6, 1917	182
January 13, 1917	209
January 20, 1917	255
January 27, 1917	301
February 3, 1917	329
February 10, 1917	362
February 17, 1917	388
February 24, 1917	410
March 3, 1917	436
March 10, 1917	483
March 17, 1917	518
March 24, 1917	547
March 31, 1917	576
April 7, 1917	620
April 14, 1917	667
April 21, 1917	709
April 28, 1917	754
May 5, 1917	813
May 12, 1917	862
May 19, 1917	917
May 26, 1917	955
June 2, 1917	993
June 9, 1917	1052
Colorado	209, 387, 619, 709, 917
Connecticut	11, 77, 143,
	179, 208, 209, 253, 300, 328, 361, 385, 409, 435,
	515, 517, 575, 614, 666, 707, 810, 915, 917, 953
Cuba—Habana—From vessels	189
District of Columbia	753, 992
Foreign reports—	
Cumulative table	88,
	153, 194, 221, 267, 312, 340, 374, 399, 421, 447, 495, 529,
	558, 589, 633, 681, 722, 768, 829, 878, 932, 967, 1007, 1069
Weekly table	21,
	86, 151, 191, 218, 264, 309, 337, 371, 396, 417, 444, 491, 526,
	554, 585, 629, 677, 717, 762, 824, 873, 927, 962, 1001, 1063
Hawaii	301
Idaho	78
Illinois—	
Alexander County	208
Cairo	515, 545, 575, 614, 707, 915
India—Madras—1901-1912 and 1915-1916	822
Indiana	78, 254, 387, 547, 666, 860
Indo-China—January, 1917	871
Iowa	12, 209, 387, 517, 666, 861
Kansas	385, 516, 615, 858, 1045
Louisiana	209, 361, 483, 619, 861, 1052
Maine	861, 1052
Maryland	436, 575, 811, 992
Massachusetts	301, 436, 575, 753, 992
Fitchburg	857
Worcester	409, 480, 545, 665, 729, 857, 939
Virulent smallpox	752
Michigan	359, 481, 616, 811, 1046
Minnesota	11,
	77, 143, 179, 208, 253, 300, 328, 359, 360, 385, 409, 435, 480, 482, 515, 545,
	575, 614, 617, 665, 707, 752, 810, 857, 859, 915, 953, 992, 1045, 1048
Duluth—Virulent type	973, 992
Mississippi	12, 209, 362, 517, 666, 861, 1052
Montana	301, 708, 916, 1049
New Hampshire	903

<b>Smallpox—Continued.</b>	<b>Page.</b>
New Jersey	182, 362, 619, 1052
Burlington County—Correction	1045
New York	666, 812
North Carolina—Edgecombe County	857, 915
North Dakota	12, 254, 387, 517, 666, 861
Ohio	253, 254, 386, 953, 1049, 1050
Cleveland	665
Springfield	435, 546
Toledo—Correction	546
Oklahoma—	
Kusa	707
Omulgee County Jail	435, 546
Oregon	78, 254, 410, 576, 709
Astoria	614, 575, 753, 810, 953
Pennsylvania—	
Philadelphia	861, 1052
Quarantine by Bangkok, Siam, against Hongkong, China, on account of, removed	857
Quarantine by Dominican Republic against Porto Rico on account of, removed	926
Quarantine by Siam against Hongkong on account of	336
South Carolina	209, 362, 483, 619, 861, 1052
South Dakota	861, 993
Tennessee—Memphis	179, 515
Texas	301
Austin—Virulent type	639
El Paso	11
Galveston	385, 409, 435, 480, 515, 546, 614, 665, 707, 857
Hill County	515
Waco—Virulent smallpox	77, 179, 253
United States—Prevalence	688
<b>Vaccination history—</b>	
California	12, 143, 359, 546, 615, 811
District of Columbia	753, 992
Kansas	77, 179, 385, 516, 615, 858, 1045
Maryland	436, 619, 811, 992
Massachusetts	143, 436, 575, 753, 992
Michigan	180, 359, 481, 616, 811, 1046
Minnesota	181, 360, 482, 617, 858, 1048
Montana	708, 916, 1049
New York	812
Ohio	253, 386, 953, 1049, 1050, 1051
Vermont	992
West Virginia	436, 619
Vermont	576, 813, 992
Virginia	78, 254, 387, 547, 753, 917
Washington	254, 387, 517, 862, 954
West Virginia	209, 362, 436, 619, 813, 993
Wisconsin	143, 301, 436, 576, 753, 993
Wyoming	12, 387, 483, 666
<b>South Carolina :</b>	
Cerebrospinal meningitis	203, 353, 477, 609, 851, 1037
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	205, 355, 611, 853, 1040
Malaria	206, 356, 478, 612, 855, 1041
Measles. ( <i>See Measles—State reports.</i> )	479, 613, 856
Pellagra	Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )
Poliomyelitis	209, 362, 483, 619, 861, 1052
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	706
Smallpox	Spartanburg—Rabies in animals
Spartanburg—Rabies in animals	210, 365, 485, 622, 864, 1043, 1056
Typhoid fever	
<b>South Dakota :</b>	
Cerebrospinal meningitis	806, 851, 988
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Measles. ( <i>See Measles—State reports.</i> )	

South Dakota—Continued.		Page.
Poliomyelitis	-----	991
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )		
Smallpox	-----	861, 993
Typhoid fever	-----	995, 864
Southerland, S. G.—Laundries and the public health—A sanitary study including bacteriologic tests	-----	225
Standard morbidity tables—Significance to public-health administration	-----	773
State and insular health authorities—Directory for 1917	-----	1020
State laws and regulations. ( <i>See Sanitary legislation.</i> )		
Streams—Pollution—Control—International Joint Commission and pollution of boundary waters—Prof. Earle B. Phelps	-----	187

**T.**

Tables, life—United States—Their purpose and what they show—James W. Glover	-----	1
Tables, standard morbidity—Significance to public-health administration	-----	773
Tennessee—Memphis—Smallpox	-----	179, 515
Tetanus:		
City reports for week ended—		
December 16, 1916	-----	13
December 23, 1916	-----	78
December 30, 1916	-----	144
January 6, 1917	-----	183
January 13, 1917	-----	209
January 20, 1917	-----	255
January 27, 1917	-----	301
February 3, 1917	-----	329
February 10, 1917	-----	362
February 17, 1917	-----	388
February 24, 1917	-----	410
March 3, 1917	-----	437
March 10, 1917	-----	483
March 17, 1917	-----	518
March 24, 1917	-----	547
March 31, 1917	-----	576
April 7, 1917	-----	620
April 14, 1917	-----	667
April 21, 1917	-----	709
April 28, 1917	-----	754
May 5, 1917	-----	813
May 12, 1917	-----	862
May 19, 1917	-----	918
May 26, 1917	-----	955
June 2, 1917	-----	993
June 9, 1917	-----	1053
Venezuela—1905-1915	-----	263
Texas:		
Austin—		
Typhus fever	-----	549, 1058
Virulent smallpox	-----	639
El Paso—		
Smallpox	-----	11
Typhus fever	-----	14, 81, 185, 212, 258, 303, 331, 411, 520, 549, 756, 817
Measures against introduction	-----	197
Galveston—		
Cerebrospinal meningitis	-----	660, 949
Smallpox	-----	385, 409, 435, 480, 515, 546, 614, 665, 707, 857
Hill County—		
Measles	-----	383
Smallpox	-----	515
Laredo—Typhus fever	-----	258, 330
Smallpox	-----	301
Typhus fever	-----	211, 390, 411, 438, 485, 549, 578, 623, 669, 711, 865, 1057
Waco—Virulent smallpox	-----	77, 179, 253

## INDEX.

XXIX

	Page.
Thermometers, clinical—Rack and disinfecter for—Convenient portable apparatus—Pharmacist B. E. Holsendorf	403
Toxins. (See Biological products.)	
Trask, John W., assistant surgeon general—Climate and tuberculosis—Relation of climate to recovery	318
Tuberculosis—City reports for week ended—	
December 16, 1916	15
December 23, 1916	82
December 30, 1916	147
January 6, 1917	186
January 13, 1917	212
January 20, 1917	259
January 27, 1917	304
February 3, 1917	331
February 10, 1917	367
February 17, 1917	391
February 24, 1917	412
March 3, 1917	439
March 10, 1917	486
March 17, 1917	521
March 24, 1917	550
March 31, 1917	580
April 7, 1917	624
April 14, 1917	670
April 21, 1917	713
April 28, 1917	756
May 5, 1917	818
May 12, 1917	866
May 19, 1917	921
May 26, 1917	957
June 2, 1917	996
June 9, 1917	1058
Tuberculosis and climate—Relation of climate to recovery—Asst. Surg. Gen. John W. Trask	318
Typhoid fever:	
Alabama	918
Arkansas	257, 330, 578, 919, 955
California	13, 144, 363, 548, 620, 815
Infection from polluted oysters	329
City reports for week ended—	
December 16, 1916	14
December 23, 1916	81
December 30, 1916	146
January 6, 1917	184
January 13, 1917	211
January 20, 1917	258
January 27, 1917	303
February 3, 1917	330
February 10, 1917	365
February 17, 1917	390
February 24, 1917	411
March 3, 1917	438
March 10, 1917	485
March 17, 1917	519
March 24, 1917	548
March 31, 1917	578
April 7, 1917	623
April 14, 1917	669
April 21, 1917	710
April 28, 1917	755
May 5, 1917	817
May 12, 1917	865
May 19, 1917	920
May 26, 1917	956
June 2, 1917	995
June 9, 1917	1057

	Page.
Typhoid fever—Continued.	
Colorado	955
Colorado Springs—Milk-borne infection	518
Connecticut	210, 363, 518, 668, 918
Cyprus—1910-1915	335
District of Columbia	183, 302, 437, 577, 754, 994
Hawaii	302, 303, 410, 518, 710
Idaho	80
Indiana	79, 255, 388, 548, 668, 863
Kansas	79, 183, 388, 518, 620, 863, 1053
Louisiana	210, 363, 484, 621, 863, 1053
Maine	863, 1053
Maryland	144, 363, 437, 577, 815, 994
Massachusetts	145, 302, 437, 577, 754, 994
Gardner	709
Michigan	183, 364, 484, 621, 815, 1053
Minnesota	184, 364, 484, 622, 863, 1054
Mississippi	13, 210, 364, 519, 668, 864, 1054
Missouri—St. Louis—Milk-borne epidemic	813
Montana	302, 710, 918, 919, 1055
Nevada	918
New Hampshire	995
New Jersey	184, 365, 484, 622, 816, 1055
New York	255, 668, 816
Utica	329
North Dakota	14, 256, 389, 519, 668, 864
Ohio	256, 389, 956, 1055, 1056
Oregon	80, 256, 257, 410, 578, 710
Pennsylvania	864, 1055
Prevalence	
In cities during 1916	535
In States during 1916	775
Rhode Island	918, 919, 1056
South Carolina	210, 365, 485, 622, 864, 1056
South Dakota	864, 995
Vermont	210, 365, 437, 577, 816, 995
Virginia	79, 256, 389, 548, 755, 918
Washington	257, 390, 519, 865, 956
West Virginia	210, 365, 437, 622, 816, 995
Charleston	994
Wisconsin	145, 302, 438, 577, 755, 995
Wyoming	14, 211, 390, 485, 668
Typhoid fever and municipal administration—Epidemiologist A. W. Freeman	642
Typhus fever:	
California—	
Clovis	185
Los Banos	996
Colorado—	
La Junta	185
Trinidad	185
Egypt—	
Alexandria—January-April, 1917	926
Years 1911-1915	925
Foreign reports—	
Cumulative table	88, 154, 194, 222, 268, 313, 342, 375, 401, 423, 449, 498, 532, 561, 592, 636, 685, 726, 771, 832, 881, 935, 970, 1010, 1072
Weekly table	21, 87, 152, 192, 219, 265, 310, 338, 371, 396, 418, 444, 492, 526, 555, 586, 630, 677, 718, 763, 824, 874, 927, 962, 1002, 1064
Immunization against—Report of unsuccessful attempt to immunize monkeys—Surg. G. W. McCoy and Passed Asst. Surg. M. H. Neill	841
Italy—Corato	627
Mexico—	
Aguascalientes—Disease decreasing	553
Durango	394
New York—New York City	15, 185, 669, 817

**Typhus fever—Continued.**

## Preventive measures—

	Page.
Instructions to surgeons of Chicago, Rock Island & Pacific Railway Co.—	345
On the Mexican border—Senior Surg. C. C. Pierce—	426
Russia—Poland—	584
Texas—	211, 390, 411, 438, 485, 549, 578, 623, 669, 711, 865, 1057
Austin—	549, 1058
El Paso—	14, 81, 185, 212, 258, 303, 331, 411, 520, 549, 756, 817
Measures against introduction—	197
Laredo—	258, 330

**U.****Union of South Africa :**

Komis—Plague—New focus of infection—	217
Orange Free State—Plague—	524, 716, 823
New focus of infection—	1001
Transvaal—Plague—	416

**United States :**

New life tables—Their purpose and what they show—James W. Glover—	1
Poliomyelitis—Prevalence and geographic distribution during 1916—	1013
Ports south of Maryland—Quarantine requirements—	425
Smallpox—Prevalence—	688
United States Public Health Service—In time of war—Executive order—	773
Uruguay :	
Montevideo—Plague—1901-1915—	761
Poliomyelitis—Measures against importation—	717
Utah—Rocky Mountain spotted fever—	327

**V.**

Vaccine virus—Should always be kept on ice—	687
Venezuela :	

Mortality—April, 1916—	263
Plague—Rat destruction—November, 1916—	264
Tetanus—1905-1915—	263

**Vermont :**

Cerebrospinal meningitis—	571
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Measles. ( <i>See Measles—State reports.</i> )	
Poliomyelitis—	207, 358, 574, 1043
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox—	576, 813, 902
Vaccination history—	992

Typhoid fever—	210, 365, 437, 577, 816, 905
----------------	------------------------------

Vessels of allied nations—Preferential treatment at Cuban ports—	674
--	-----

**Virginia :**

Cerebrospinal meningitis—	72, 247, 381, 541, 747, 909
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Malaria—	248, 382, 542, 749, 911
Measles. ( <i>See Measles—State reports.</i> )	
Middlesex County—Cerebrospinal meningitis—	476
Pellagra—	74, 250, 383, 544, 750, 912
Poliomyelitis—	76, 251, 384, 545, 751, 914
Rabies—	252
Scarlet fever. ( <i>See Scarlet fever—State reports.</i> )	
Smallpox—	78, 254, 387, 547, 753, 917
Typhoid fever—	79, 256, 389, 548, 755, 918

Virus, vaccine—Should always be kept on ice—	687
--	-----

Viruses. ( <i>See Biological products.</i> )	
--	--

**W.****Washington :**

Cerebrospinal meningitis—	851, 949
Diphtheria. ( <i>See Diphtheria—State reports.</i> )	
Measles. ( <i>See Measles—State reports.</i> )	
Odessa—Rocky Mountain spotted fever—	706, 752

	Page.
Washington—Continued.	
Poliomyelitis	251, 384
Rocky Mountain spotted fever	327
Scarlet fever. ( <i>See Scarlet fever—State reports</i> ).	
Seattle—	
Measles	250, 298, 356, 383, 408, 433, 478, 544, 612, 663, 705, 750, 808, 854
Plague—Rats infected found	479
Smallpox	254, 387, 517, 862, 954
Typhoid fever	257, 390, 519, 865, 956
Waterman, Jason, assistant editor—Digest of court decisions	453
West Virginia:	
Anthrax	203
Cerebrospinal meningitis	203, 353, 431, 609, 806, 988
Charleston—Typhoid fever	994
Diphtheria. ( <i>See Diphtheria—State reports</i> ).	
Elkins and Grafton—Poliomyelitis—Winter epidemic	74
Measles. ( <i>See Measles—State reports</i> ).	
Pellagra	206, 356, 990
Poliomyelitis	207, 358, 434, 613, 809, 991
Winter outbreak	141, 178, 207
Rabies (in animals)	208
Scarlet fever. ( <i>See Scarlet fever—State reports</i> ).	
Smallpox	209, 362, 436, 619, 813, 993
Vaccination history	436, 619
Typhoid fever	210, 365, 437, 622, 816, 995
Whittaker, H. A.—Drinking fountains—Investigation of fountains at University of Minnesota	691
Wisconsin:	
Cerebrospinal meningitis	139, 297, 431, 571, 747, 988
Diphtheria. ( <i>See Diphtheria—State reports</i> ).	
Measles. ( <i>See Measles—State reports</i> ).	
Milwaukee—Leprosy	354
Poliomyelitis	142, 299, 434, 574, 751, 991
Scarlet fever. ( <i>See Scarlet fever—State reports</i> ).	
Smallpox	143, 301, 436, 576, 753, 993
Typhoid fever	145, 302, 438, 577, 755, 995
Wynne, Shirley W., M. D.—Occupation and mortality—Their relation as indicated by mortality returns in New York City for 1914	885
Wyoming:	
Cerebrospinal meningitis	477
Cheyenne—Scarlet fever	856
Diphtheria. ( <i>See Diphtheria—State reports</i> ).	
Measles. ( <i>See Measles—State reports</i> ).	
Poliomyelitis	10
Rocky Mountain spotted fever	327
Scarlet fever. ( <i>See Scarlet fever—State reports</i> ).	
Smallpox	12, 387, 483, 666
Typhoid fever	14, 211, 390, 485, 668
Washakie County—Rocky Mountain spotted fever	856

## Y.

Yellow fever:	
Brazil—	
Pernambuco	1062
Victoria	216, 394
Ecuador	490
Foreign reports—	
Cumulative table	223, 260, 314, 343, 376, 402, 424,
451, 499, 533, 562, 593, 637, 686, 727, 772, 834, 883, 937, 972, 1012, 1074	
Weekly table	192, 219, 265, 396, 492, 555, 1064
Quarantine by Cuba against State of Vera Cruz, Mexico, and Martinique on account of, removed	524
Young, G. B., surgeon—Public health administration—St. Paul, Minn	41, 99



